



**CHESTNUT**  
P R O D U C T S

## SAFETY DATA SHEET

### Cyanoacrylate Superglue Medium

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name                      Cyanoacrylate Superglue Medium

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                      Cyanoacrylate adhesive.

##### 1.3. Details of the supplier of the safety data sheet

Supplier                              Chestnut Products  
   PO BOX 260,  
   Stowmarket,  
   IP14 9BX  
   +44 (0) 1473 890118  
   +44 (0) 1473 206522  
   mailroom@chestnutproducts.co.uk

##### 1.4. Emergency telephone number

Emergency telephone              +44 (0)1473 425878 (09:00-17:00 Mon- Fri)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

Physical hazards                      Not Classified

Health hazards                        Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

Environmental hazards              Not Classified

Classification (67/548/EEC or 1999/45/EC)    Xi; R36/37/38

##### 2.2. Label elements

###### Pictogram



Signal word                              Warning

Hazard statements                      H315 Causes skin irritation.  
   H319 Causes serious eye irritation.  
   H335 May cause respiratory irritation.

## Cyanoacrylate Superglue Medium

<b>Precautionary statements</b>	<p>P102 Keep out of reach of children.</p> <p>P261 Avoid breathing vapour/spray.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
<b>Supplemental label information</b>	EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
<b>Contains</b>	Ethyl 2-cyanoacrylate
<b>Supplementary precautionary statements</b>	<p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P312 Call a POISON CENTER/doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Ethyl 2-cyanoacrylate</b>	<b>50 - 100%</b>
CAS number: 7085-85-0	EC number: 230-391-5
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Skin Irrit. 2 - H315	Xi; R36/37/38
Eye Irrit. 2 - H319	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical attention.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Keep affected person under observation. Get medical attention.

## Cyanoacrylate Superglue Medium

<b>Skin contact</b>	Rinse with water. If adhesive bonding occurs, do not force skin apart. If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll the lips apart. Do not try to pull the lips apart with direct opposing action.
<b>Eye contact</b>	If adhesive bonding occurs, do not force eyelids apart. Rinse with water. Do not rub eye. Get medical attention if any discomfort continues. Keep eye covered until debonding is complete, usually within 1-3 days.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	During application and drying, solvent vapours will be emitted. Vapours may cause headache, fatigue, dizziness and nausea. Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
<b>Ingestion</b>	***TRANSLATION NEEDED*** The product will polymerise immediately in the mouth making it almost impossible to swallow. ***TRANSLATION NEEDED*** Saliva will slowly separate the solidified product from the mouth (several hours).
<b>Skin contact</b>	Bonds skin and eyes in seconds. Redness. Irritating to skin. Produces heat on solidification. In rare cases a large drop will generate enough heat to cause a burn.
<b>Eye contact</b>	Bonds skin and eyes in seconds. Irritating to eyes. Solid particles of cyanoacrylate trapped behind the eyelid may cause abrasive damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
---	--

## Cyanoacrylate Superglue Medium

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Bonds skin and eyes in seconds. Wear protective clothing as described in Section 8 of this safety data sheet. Use suitable respiratory protection if ventilation is inadequate. Avoid inhalation of vapours and contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** Immiscible with water. Aquatic toxicity is unlikely to occur. However, large or frequent spills may have hazardous effects on the environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Wear protective clothing as described in Section 8 of this safety data sheet. Hardens in contact with water. Dampen spillage with water. Collect spillage with a shovel and broom, or similar and reuse, if possible. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. For waste disposal, see Section 13. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Bonds skin and eyes in seconds. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle broken packages without protective equipment. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store locked up. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect containers from damage. Protect from sunlight.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Ethyl 2-cyanoacrylate

Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

## Cyanoacrylate Superglue Medium

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Wear chemical splash goggles.

#### Hand protection

Wear protective gloves made of the following material: Polyethylene. Viton rubber (fluoro rubber). Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

#### Environmental exposure controls

Keep container tightly sealed when not in use. Avoid release to the environment.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Pungent.
Odour threshold	Not available.
pH	pH (concentrated solution): 6-7
Melting point	-30°C
Initial boiling point and range	>150°C
Flash point	>85°C CC (Closed cup).
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	0.04 mm Hg @ 25°C
Vapour density	Not available.
Relative density	1.05-1.08
Solubility(ies)	Hardens in contact with water. Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.

## Cyanoacrylate Superglue Medium

<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	3-2500 cP @ 25°C
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

<b>Other information</b>	No information required.
--------------------------	--------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	See the other subsections of this section for further details.
-------------------	--

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Polymerises easily with evolution of heat.
---	--

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	Water, steam, water mixtures. Strong oxidising agents. Alkalis. Amines. Alcohols, glycols.
---------------------------	--

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
---	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

<b>Notes (oral LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
-------------------------------------	--

#### Acute toxicity - dermal

<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
---------------------------------------	--

#### Acute toxicity - inhalation

<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
---	--

#### Skin corrosion/irritation

<b>Animal data</b>	Irritating.
--------------------	-------------

#### Serious eye damage/irritation

<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
--------------------------------------	--------------------------------

#### Respiratory sensitisation

<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
----------------------------------	--

#### Skin sensitisation

<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
---------------------------	--

## Cyanoacrylate Superglue Medium

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H335 May cause respiratory irritation.

**Target organs** Respiratory system, lungs

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

Vapours may cause headache, fatigue, dizziness and nausea. Irritation of nose, throat and airway. Difficulty in breathing. Coughing.

### Ingestion

\*\*\*TRANSLATION NEEDED\*\*\*

The product will polymerise immediately in the mouth making it almost impossible to swallow.  
\*\*\*TRANSLATION NEEDED\*\*\*

Saliva will slowly separate the solidified product from the mouth (several hours).

### Skin contact

Bonds skin and eyes in seconds. Redness. Irritating to skin.

### Eye contact

Bonds skin and eyes in seconds. Irritating to eyes.

### Route of entry

Ingestion Inhalation Skin and/or eye contact

### Target organs

Respiratory system, lungs

### Toxicological information on ingredients.

#### Ethyl 2-cyanoacrylate

**Other health effects** Substance polymerizes rapidly on contact with air / moisture.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met. REACH dossier information.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met. REACH dossier information.

#### Acute toxicity - inhalation

## Cyanoacrylate Superglue Medium

**Notes (inhalation LC<sub>50</sub>)** Technically not feasible. Based on available data the classification criteria are not met. REACH dossier information.

### Skin corrosion/irritation

**Animal data** Dose: 0.5g, 24 hours, Rabbit Primary dermal irritation index: 0.87 Slightly irritating. REACH dossier information.

### Serious eye damage/irritation

**Serious eye damage/irritation** Slightly irritating. REACH dossier information.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met. REACH dossier information.

### Skin sensitisation

**Skin sensitisation** Technically not feasible. Based on available data the classification criteria are not met. REACH dossier information.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Gene mutation: Negative. Chromosome aberration: Negative. REACH dossier information.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met. REACH dossier information.

### Reproductive toxicity

**Reproductive toxicity - fertility** Technically not feasible. REACH dossier information.

**Reproductive toxicity - development** Technically not feasible. REACH dossier information.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Irritating to respiratory system. STOT SE 3 - H335

**Target organs** Respiratory system, lungs

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Technically not feasible. REACH dossier information.

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

### Ecological information on ingredients.



## Cyanoacrylate Superglue Medium

### Ethyl 2-cyanoacrylate

<b>Toxicity</b>	Substance polymerizes rapidly on contact with air / moisture.
<b>Acute toxicity - fish</b>	Technically not feasible. REACH dossier information.

#### 12.2. Persistence and degradability

**Persistence and degradability** The product is not expected to be biodegradable.

#### Ecological information on ingredients.

### Ethyl 2-cyanoacrylate

<b>Stability (hydrolysis)</b>	Substance polymerizes rapidly on contact with air / moisture.
<b>Biodegradation</b>	None.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

#### Ecological information on ingredients.

### Ethyl 2-cyanoacrylate

**Bioaccumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** The product hardens to a solid, immobile substance.

#### Ecological information on ingredients.

### Ethyl 2-cyanoacrylate

**Mobility** Substance polymerizes rapidly on contact with air / moisture. The product is insoluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

### Ethyl 2-cyanoacrylate

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

## Cyanoacrylate Superglue Medium

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

**General** For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

UN No. (ADR/RID)	3334
UN No. (IMDG)	3334
UN No. (ICAO)	3334
UN No. (ADN)	3334

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** AVIATION REGULATED LIQUID, N.O.S. (Ethyl 2-cyanoacrylate)

**Proper shipping name (IMDG)** AVIATION REGULATED LIQUID, N.O.S. (Ethyl 2-cyanoacrylate)

**Proper shipping name (ICAO)** AVIATION REGULATED LIQUID, N.O.S. (Ethyl 2-cyanoacrylate)

**Proper shipping name (ADN)** AVIATION REGULATED LIQUID, N.O.S. (Ethyl 2-cyanoacrylate)

#### 14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M11
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

#### Transport labels



#### 14.4. Packing group

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Cyanoacrylate Superglue Medium

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

##### EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

### SECTION 16: Other information

<b>Classification procedures according to Regulation (EC) 1272/2008</b>	STOT SE 3 - H335: Skin Irrit. 2 - H315: Eye Irrit. 2 - H319: : Calculation method.
<b>Training advice</b>	Read and follow manufacturer's recommendations.
<b>Revision comments</b>	Classification according to EC 1272/2008 (CLP).
<b>Revision date</b>	27/05/2015
<b>Revision</b>	2
<b>Supersedes date</b>	03/11/2014
<b>SDS number</b>	2883
<b>Risk phrases in full</b>	R36/37/38 Irritating to eyes, respiratory system and skin.
<b>Hazard statements in full</b>	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

## Cyanoacrylate Superglue Medium

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.