CHESTNUT PRODUCTS
PO BOX 260
STOWMARKET
IP14 9BX

Attn: Terry Smart

Test Report No. BTO 240482/1
Issue Date: 22nd June 2017

The following sample was submitted and identified by the client as:

Sample Name:	Chestnut Products Acrylic Gloss Lacquer
Sample Description:	Aerosol container nominal contents 400 ml.
Sample Submitted:	2nd June 2017
Testing Period:	Testing conducted between 20th June 2017 and 22nd June 2017
Testing Required:	Although this item is not a toy SGS was requested to test for compliance with the European Standard on Safety Of Toys

	Result:
BSEN 71-3:2013+A1:2014 *(Item tested as Category 3 at request of client)*	Pass

Conclusion: The submitted samples as detailed above, complied with the requirements as listed above.

Signed for and on behalf of
SGS United Kingdom Ltd.

Chris Walker, BSc (Hons)
Technical Manager

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.